

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Тверь (4822)63-31-35
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Челябинск (351)202-03-61
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Чита (3022)38-34-83
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81		Тамбов (4752)50-40-97	Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.johny.nt-rt.ru | | jyh@nt-rt.ru

Технические характеристики на соковыжималки для лимона АК/6, АК/7 КОМПАНИИ **JOHNY**



Automatic motor

Motor start and stop automation, additional plastic bucket for complete sealing.

Illuminated switch lamp

Illuminated, waterproof on-off switch.



Sieve and pine nut resistance

Transparent pinecone and sieve made of polycarbonate suitable for food, high resistance.

Lemon Squeezer AK/7 AUT RAL

SKU: N/A



- The AK/7 device has:
- Illuminated, waterproof ON/OFF switch.
 - Automatic operation (starting the engine by simply pressing the handle downwards, after we have first placed the citrus, which we wish to squeeze and if the general switch is on).
 - Transparent polycarbonate lid suitable for food.
 - Stainless steel clamp.
 - Additional plastic bin inside for complete sealing.
 - Powerful 400W motor.
 - Anti-slip feet.
 - Mechanical safety switch, which stops the operation of the device when the lid is lifted.

Color: No selection

Spare parts are not sold individually without the base product.

SQUEEZER INOX

DESCRIPTION

The base of the device is made of durable ABS material

The AK/7 device has:

- Illuminated, waterproof ON/OFF switch.
- Automatic operation (starting the engine by simply pressing the handle downwards, after we have first placed the citrus, which we wish to squeeze and if the general switch is on).
- Transparent polycarbonate lid suitable for food.
- Stainless steel clamp.
- Additional plastic bin inside for complete sealing.
- Powerful 400W motor.
- Anti-slip feet.
- Mechanical safety switch, which stops the operation of the device when the lid is lifted.

The base of the device has been painted with double-phase acrylic paint, giving it a particularly impressive metallic look. The upper part of the bucket's socket has been chrome-plated, aesthetically highlighting the device.

CHARACTERISTICS:

Model:	AK/7 AUT
RPM:	1300 RPM
Volts:	AC220-240V/50-60Hz
Engine Power:	400W
Net weight:	8,540 Kg
Gross Weight:	9,080 Kg
Dimensions:	L:210 W:295 H:380 (mm)
Maximum capacity:	1000ml
Net Capacity:	500ml

Lemon Squeezer AK/7 AUT ECO



SKU: N/A

The AK/7 device has:

- Illuminated, waterproof ON/OFF switch.
- Automatic operation (starting the engine by simply pressing the handle downwards, after we have first placed the citrus, which we wish to squeeze and if the general switch is on).
- Transparent polycarbonate lid suitable for food.
- Stainless steel clamp.
- Additional plastic bin inside for complete sealing.
- Powerful 400W motor.

- Anti-slip feet.
- Mechanical safety switch, which stops the operation of the device when the lid is lifted.

Color: **No selection**

Spare parts are not sold individually without the base product.

SQUEEZER INOX



Login or sign up to see price

DESCRIPTION

The base of the device is made of durable ABS material

The AK/7 device has:

- Illuminated, waterproof ON/OFF switch.
- Automatic operation (starting the engine by simply pressing the handle downwards, after we have first placed the citrus, which we wish to squeeze and if the general switch is on).
- Transparent polycarbonate lid suitable for food.
- Stainless steel clamp.
- Additional plastic bin inside for complete sealing.
- Powerful 400W motor.
- Anti-slip feet.
- Mechanical safety switch, which stops the operation of the device when the lid is lifted.

CHARACTERISTICS:

Model:	AK/7 AUT
RPM:	1300 RPM
Volts:	AC220-240V/50-60Hz
Engine Power:	400W
Net weight:	8540 Kg
Gross Weight:	9,080 Kg
Dimensions:	L:210 W:295 H:380 (mm)
Maximum capacity:	1000ml
Net Capacity:	500ml

Lemon Squeezer AK/7 AUT CHROME

SKU: 10.07.0.0030 The

AK/7 device has:

- Illuminated, waterproof ON/OFF switch.
- Automatic operation (starting the engine by simply pressing the handle downwards, after we have first placed the citrus, which we wish to squeeze and if the general switch is on).
- Transparent polycarbonate lid suitable for food.
- Stainless steel clamp.
- Additional plastic bin inside for complete sealing.
- Powerful 400W motor.

- Anti-slip feet.
- Mechanical safety switch, which stops the operation of the device when the lid is lifted.

Spare parts are not sold individually without the base product.

SQUEEZER INOX



Login or sign up to see price

DESCRIPTION

The base of the device is made of durable ABS material The AK/7

device has:

- Illuminated, waterproof ON/OFF switch.
- Automatic operation (starting the engine by simply pressing the handle downwards, after we have first placed the citrus, which we wish to squeeze and if the general switch is on).
- Transparent polycarbonate lid suitable for food.
- Stainless steel clamp.
- Additional plastic bin inside for complete sealing.
- Powerful 400W motor.
- Anti-slip feet.
- Mechanical safety switch, which stops the operation of the device when the lid is lifted.

The device has been chrome-plated, giving it a stainless appearance.

CHARACTERISTICS:

Model:	AK/7 AUT
RPM:	1300 RPM
Volts:	AC220-240V/50-60Hz
Engine Power:	400W
Net weight:	8,540 Kg
Gross Weight:	9,080 Kg
Dimensions:	L:210 W:295 H:380 (mm)
Maximum capacity:	1000ml
Net Capacity:	500ml

Lemon Squeezer AK/6 RAL



SKU: N/A

The AK/6 device has:

- Transparent pinecone and sieve made of high strength material (polycarbonate suitable for food).
- Transparent bucket lid, for hygiene reasons as it does not allow access of foreign bodies to the bucket where – the fruit is crushed, when the device is not in use.
- Excellent engine sealing.
- Illuminated waterproof ON/OFF switch.
- Non-slip feet.

Color: **No selection**

Spare parts are not sold individually without the base product.

STRAINER



SQUEEZING CONE



Login or sign up to see price

DESCRIPTION

The base of the device is made of durable ABS material The AK/6

device has:

- Transparent pinecone and sieve made of high-strength material (polycarbonate suitable for food).
Transparent bucket lid, for hygiene reasons as it does not allow access of foreign bodies to the bucket where the fruit is squeezed, when the device is not in use.
- Excellent engine sealing.
- Illuminated waterproof ON/OFF switch.
- Anti-slip feet.
-

MET category: A double-phase acrylic paint has been applied to the base of the device, giving it a particularly impressive metallic look. It has a stainless steel bucket.

CHARACTERISTICS:

Model:	AK/6
RPM:	1340 RPM
Volts:	AC220-240V/50-60Hz
Engine Power:	200W
Net weight:	5,320 Kg
Gross Weight:	5,820 Kg
Dimensions:	L:210 W:295 H:370 (mm)
Maximum capacity:	1000ml
Net Capacity:	500ml

Lemon Squeezer AK/6 ECO

SKU: N/A

The AK/6 device has:

- Transparent pinecone and sieve made of high strength material (polycarbonate suitable for food).
- Transparent bucket lid, for hygiene reasons as it does not allow access of foreign bodies to the bucket where – the fruit is crushed, when the device is not in use.
- Excellent engine sealing.
- Illuminated waterproof ON/OFF switch.
- Non-slip feet.



Color: White Creamy

Clear

Spare parts are not sold individually without the base product.

STRAINER



SQUEEZING CONE



Login or sign up to see price

CHARACTERISTICS:

Model:	AK/6 ECO
RPM:	1340 RPM
Volts:	AC220-240V/50-60Hz
Engine Power:	200W
Net weight:	5,100 Kg
Gross Weight:	5,330 Kg
Dimensions:	L:210 W:295 H:370 (mm)
Maximum capacity:	1000ml
Net Capacity:	500ml

DESCRIPTION

The base of the device is made of durable ABS material The AK/6

device has:

- Transparent pinecone and sieve made of high-strength material (polycarbonate suitable for food).
Transparent bucket lid, for hygiene reasons as it does not allow access of foreign bodies to the bucket where the fruit is squeezed, when the device is not in use.
- Excellent engine sealing.
- Illuminated waterproof ON/OFF switch.
- Anti-slip feet.
-

It has a transparent polycarbonate rim adapted to the device's bin for user hygiene and protection

Lemon Squeezer AK/6 CHROME

SKU: 10.07.0.0017

The AK/6 device

has:

- Transparent pinecone and sieve made of high strength material (polycarbonate suitable for food).
- Transparent bucket lid, for hygiene reasons as it does not allow access of foreign bodies to the bucket where – the fruit is crushed, when the device is not in use.
- Excellent engine sealing.
- Illuminated waterproof ON/OFF switch.
- Non-slip feet.



Spare parts are not sold individually without the base product.

STRAINER



SQUEEZING CONE



Login or sign up to see price

DESCRIPTION

The base of the device is made of durable ABS

material The AK/6 device has:

- Transparent pinecone and sieve made of high-strength material (polycarbonate suitable for food).
- Transparent bin lid, for hygiene reasons as it does not allow access of foreign bodies to the bucket where the fruit is squeezed, when the device is not in use.
- Excellent engine sealing.
- Illuminated waterproof ON/OFF switch.
- Anti-slip feet.

The base of the bucket has been chrome-plated, giving it a stainless appearance. It has a stainless steel bucket.

CHARACTERISTICS:

Model:	AK/6
RPM:	1340 RPM
Volts:	AC220-240V/50-60Hz
Engine Power:	200W
Net weight:	5,320 Kg
Gross Weight:	5,820 Kg
Dimensions:	L:210 W:295 H:370 (mm)
Maximum capacity:	1000ml
Net Capacity:	500ml

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.johny.nt-rt.ru | jjh@nt-rt.ru